

INDIAN CREEK LANDFILL, INC.

Acceptance Criteria

Generator

- 1) The operator has the right to reject any load or portion of a load.
- 2) Exceptions to these criteria may be approved only by the facility's Waste Acceptance Committee (WAC).
- 3) Hazardous waste shall not be accepted.
- 4) No radioactive wastes shall be accepted.

Special Waste

- 1) Special waste will be accepted, only with a valid IEPA supplemental waste stream permit.
- 2) All loads must be easily accessible for inspection at Gate Control.
- 3) Special waste with a pH <4.0 or ≥ 12.5 will be rejected.
- 4) Wastes with a reactive cyanide or a reactive sulfide level >100 ppm will not be approved. Wastes with reactive cyanide or reactive sulfide levels >10 ppm will be approved only with the generator certification required by IEPA.
- 5) Wastes that exhibit an EOX >100 ppm will be accepted only for the following reasons:
 - a) The generator has certified that, "no PCB's, dioxins, or F-listed halogenated compounds are present in the waste or used in the process", and the potential source of EOX is identified, or
 - b) The generator has supplied an analysis as determined by WAC for F-listed halogenated compounds or a full 40 CFR Part 268, Appendix III scan for regulated halogenated organic compounds (HOC's) on a representative grab sample and
 - c) Wastes with more than 80% of the applicable BDAT standard for any regulated solvent will not be acceptable.
- 6) Asbestos shall not be accepted.

7) PDC reserves the right, at its option and expense, to sample/analyze more frequently.

Refuse

- 1) Hazardous items shall not be accepted, including, but not limited to the following items:
 - a) Storage batteries (e.g., auto)
 - b) Pesticides, herbicides, insecticides
 - c) Waste petroleum products
 - d) Auto components containing petroleum products
 - e) Household and industrial chemicals
 - f) Paint (unless completely dried)
 - g) Anything flammable
 - h) Any item containing or constructed of asbestos
- 2) Animal carcasses shall not be accepted.
- 3) Barbed wire will be accepted only if bound in a coil or bundle.
- 4) Wastes not in conformance with potentially infectious medical wastes (PIMW) regulations as defined in Section 56 of the Act shall not be accepted.
- 5) No tires, either whole or sectioned, may be accepted.

Containers

- 1) Empty bulk containers (i.e., steel, fiber, or plastic drums, cartons, and sacks) will be accepted only if they are part of an approved special waste permit and meet one of the following conditions:
 - a) They are empty to RCRA definition, intact, with one end open, or
 - b) They are empty to RCRA definition, flattened, with one end open, or
 - c) They are empty to RCRA definition, flattened, with one end open and accompanied by a “RCRA-empty” certification statement for each load.
- 2) Empty drums which previously contained pesticides or herbicides must be triple-rinsed and accompanied by a “RCRA-empty” certification statement for each load.
- 3) Containers will be accepted which have been specifically approved by the Waste Acceptance Committee.

Rev. 10/14/04